

Ballast Water Management System

To the owner's as well as the yard's benefit TeamTec Senza BWMS does not require the use of filters!

Senza BWMS simplicity makes it easy to install both on new and old ships. Only minor modifications to the ballast piping are needed to retrofit Senza BWMS, making it possible to complete the installation while sailing.

Contact us

BWMS@teamtec.no



Norwegian traditions

TeamTec is continuing a tradition of maritime industrial activity at Tangen in Tvedestrand, Norway, dating back to around year 1700. Today TeamTec is a well-recognized name in the maritime industry. Our company has been built up around decades of manufacturing and sales of maritime waste incinerating systems, as well as stripping ejectors to the shipbuilding industry. TeamTec is on a continuous growth path and in recent years TeamTec has also been offering ballast water management systems (BWMS) to the maritime sector.

TeamTec was founded on the national day in 1984, by a small group of ambitious and enthusiastic pioneers. Their enthusiasm and passion is carried forward by the entire TeamTec staff. We take great pride in supplying our quality products to the demanding shipping and offshore markets. TeamTec is confident that our products will continue to be at the forefront of global maritime technology in the future.

We are proud to supply quality products and service from our worldwide service network.



Senza BWMS Type Approvals

IMO, USCG, DNV, ABS, BV, LRS, RINA,
CCS, Class NK, JG, TRANSPORT CANADA

Technology

Senza BWMS uses direct biocide injection to treat ballast water. To the owner's as well as the yard's benefit the system **does not require the use of filter**. Neutralizer is injected when discharging ballast water. Standard, non-proprietary chemicals are used during ballast (Sodium Hypochlorite) and de-ballast (Sodium Sulfite) operations.



Senza BWMS simplicity makes it easy to install on both new and old ships. Only minor modifications to the ballast piping are needed to retrofit Senza BWMS, making it possible to complete the installation while sailing.

The system includes limited moving parts and no complex equipment resulting in minimal maintenance and easy operation for the crew.

Advantages

- No filter
- 100% flow rate in all water conditions
- Lowest power consumption in the market
- Small configurable footprint
- Minimal change to existing ballast piping
- Easy installation, possible to install while sailing
- Simple and robust design
- Standard biocide, available worldwide
- IMO and USCG Type Approved
- Range: 225-3750 m³ / h

Simply better!



Spare Parts

Tailored spare part kits sent the same day order is received!

Contact us
SPAREPARTS@teamtec.no

Technical Service

Technical assistance with 24hr availability!

Contact us
 24h service phone:
+47 37 19 99 99
SERVICE@teamtec.no

Ballast Water Management System

Teamtec AS

N-4902 Tvedestrand | NORWAY

bwms@teamtec.no
+47 37 19 98 00

